

STRUCTURAL STEEL

BEAMS AND PILING
PRODUCTS AND BUNDLE CATALOG



GERDAU

Shape the future

800-237-0230 sales@gerdau.com www.gerdau.com

WIDE FLANGE BEAMS MIDLOTHIAN, TX & PETERSBURG, VA

| SHAPE | MILL | PCS/ BUNDLE |
|------------------------|-------|----------------|
| W4x13# | TX | 15 |
| W6x7# | TX | 21 |
| W6x7.5# | TX | 21 |
| W6x8.5# | TX | 24 |
| W6x9# | TX | 24 |
| W6x10.4# | TX | 24 |
| W6x12# | TX | 18 |
| W6x15# | TX | 12 |
| W6x16# | TX | 12 |
| W6x20# | TX | 9 |
| W6x25# | TX | 9 |
| W8x10# | TX | 21 |
| W8x13# | TX | 15 |
| W8x15# | TX | 12 |
| W8x18# | TX | 12 |
| W8x21# | TX | 10 |
| W8x24# | TX | 8 |
| W8x28# | TX | 6 |
| W8x31#,35#,40# | TX,VA | 6 |
| W8x48#, 58# | TX,VA | 4 |
| W8x67# | TX,VA | 3 |
| W10x12# | TX | 16 |
| W10x15# | TX | 14 |
| W10x17# | TX | 12 |
| W10x19# | TX | 10 |
| W10x22#, 26# | TX | 8 |
| W10x30# | TX | 6 |
| W10x33#, 39# | TX,VA | 6 |
| W10x45#, 49#, 54#, 60# | TX,VA | 4 |
| W10x68#, 77# | TX,VA | 3 |
| W10x88# | TX,VA | 2 |
| W10x100#,112# | TX | 2 |
| W12x14# | TX | 16 |
| W12x16# | TX | 14 |
| W12x19# | TX | 12 |
| W12x22# | TX | 10 |
| W12x26#, 30#, 35# | TX | 6 |

| SHAPE | MILL | PCS/ BUNDLE |
|--|--------|----------------|
| W12x40#, 45#, 50# | TX,VA | 4 |
| W12x53#, 58# | TX,VA | 4, 3 |
| W12x65#, 72#, 79#, 87#, 96# | VA | 2 |
| W12x106#, 120#, 136#, 152#, 170#, 190#, 210# | VA | 1 |
| W14x22#, 26# | TX | 8 |
| W14x30#, 34#, 38# | TX | 6 |
| W14x43#, 48#, 53# | TX,VA | 4 |
| W14x61#, 68#, 74#, 82# | TX,VA | 3 |
| W14x90#, 99#, 109# | VA | 2 |
| W14x120#, 132# | VA | 1 |
| W14x145#, 159#, 176#, 193#, 211#, 233#, 257# | VA | 1 |
| W16x26#,31# | TX,VA | 6 |
| W16x36#, 40#, 45# | TX,VA | 5 |
| W16x50#, 57# | TX,VA | 3 |
| W16x67#, 77# | TX,VA | 3 |
| W16x89#, 100# | TX,VA | 2 |
| W18x35# | TX,VA | 6 |
| W18x40#, 46# | TX,VA | 5 |
| W18x50#, 55# | TX,VA | 4 |
| W18x60#, 65#, 71# | TX,VA | 3 |
| W18x76#, 86#, 97# | VA | 2 |
| W18x106#,119#, 130#, 143#, 158# | VA | 1 |
| W21x44#, 50#, 57# | TX, VA | 4 |
| W21x48#, 55#, 62# | TX | 4 |
| W21x68#, 73#, 83# | TX | 3 |
| W21x93# | TX | 2 |
| W21x101#, 111#, 122#, 132#, 147# | VA | 1 |
| W24x55#, 62# | TX,VA | 4 |
| W24x68#, 76# | TX,VA | 3 |
| W24x84#, 94# | TX,VA | 2 |
| W24x103# | TX, VA | 2 |
| W24x,104#, 117# | VA | 1 |
| W24x131#, 146#, 162# | VA | 1 |
| W27x84#, 94#, 102#, 114#, 129# | VA | 1 |
| W30x90#, 99#, 108#, 116#, 124#, 132#, 148#* | VA | 1 |
| W33x118#, 130#, 141#, 152#, 169# | VA | 1 |
| W36x135#, 150#,160#, 170#, 182# 194#, 210#* | VA | 1 |

Wide Flange Beams and Standard I Beams are available in lengths of 20', 25', 30', 35', 40', 45', 50', 55', 60', and 65'. Inquire for lengths > 65'. Inquire for piece counts greater than a bundle. Standard bundle piece count not guaranteed – plus or minus one piece tolerance.

WIDE FLANGE BEAMS CARTERSVILLE, GA

| SHAPE | LENGTH | MILL | PCS/ BUNDLE |
|---------|-----------------------------------|------|----------------|
| W4x13# | 20', 40' | GA | 18 |
| W4x13# | 25', 30', 35' | GA | 21 |
| W4x13# | 45', 50' | GA | 15 |
| W4x13# | 55' | GA | 13 |
| W4x13# | 60' | GA | 12 |
| W6X7# | 20', 30', 35', 40', 50', 60' | GA | 21 |
| W6X7# | 45' 55' | GA | 12 |
| W6X8.5# | 20', 25', 30', 40', 45', 50', 55' | GA | 21 |
| W6X8.5# | 35' | GA | 24 |
| W6X8.5# | 60' | GA | 18 |
| W6X9# | 20', 25' | GA | 27 |
| W6X9# | 30', 35' | GA | 30 |
| W6X9# | 40', 50' | GA | 21 |
| W6X9# | 45' | GA | 24 |
| W6X9# | 55', 60' | GA | 18 |
| W6X12# | 20', 35' | GA | 21 |
| W6X12# | 25' | GA | 33 |
| W6X12# | 30' | GA | 27 |
| W6X12# | 40', 45' | GA | 18 |
| W6X12# | 50' | GA | 16 |
| W6X12# | 55' | GA | 14 |
| W6X12# | 60' | GA | 12 |
| W6X15# | 20', 30', 40' | GA | 15 |
| W6X15# | 25', 45', 50', 55' | GA | 12 |
| W6X15# | 60' | GA | 10 |
| W6X15# | 65' | GA | 9 |
| W6X16# | 20', 35', 40' | GA | 15 |
| W6X16# | 30' | GA | 18 |
| W6X16# | 45', 50' | GA | 12 |
| W6X16# | 55', 60' | GA | 10 |
| W6X20# | 20', 35', 40' | GA | 12 |
| W6X20# | 25', 30' | GA | 15 |
| W6X20# | 45', 50' | GA | 9 |
| W6X20# | 55', 60' | GA | 8 |
| W6X20# | 65' | GA | 6 |

| SHAPE | LENGTH | MILL | PCS/ BUNDLE |
|--------|------------------------------|------|----------------|
| W6X25# | 20', 25', 35' | GA | 9 |
| W6X25# | 30' | GA | 12 |
| W6X25# | 40' | GA | 10 |
| W6X25# | 45', 50' | GA | 8 |
| W6X25# | 60' | GA | 6 |
| W8X10# | 20', 25', 30', 35', 40', 45' | GA | 20 |
| W8X10# | 50', 55' | GA | 18 |
| W8X10# | 60' | GA | 16 |
| W8X13# | 20', 40' | GA | 18 |
| W8X13# | 25', 30', 35' | GA | 20 |
| W8X13# | 45' | GA | 16 |
| W8X13# | 50' | GA | 14 |
| W8X13# | 55', 60' | GA | 10 |
| W8X15# | 20', 40' | GA | 16 |
| W8X15# | 25', 30' | GA | 20 |
| W8X15# | 35' | GA | 18 |
| W8X15# | 45' | GA | 14 |
| W8X15# | 50' | GA | 12 |
| W8X15# | 55', 60', 65' | GA | 10 |
| W8X18# | 20', 35' | GA | 14 |
| W8X18# | 25', 50', 55' | GA | 10 |
| W8X18# | 30' | GA | 16 |
| W8X18# | 40', 45' | GA | 12 |
| W8X18# | 50', 55' | GA | 10 |
| W8X18# | 60', 65' | GA | 8 |
| W8X21# | 20' | GA | 12 |
| W8X21# | 25', 40', 45' | GA | 10 |
| W8X21# | 30' | GA | 14 |
| W8X21# | 50' | GA | 8 |
| W8X21# | 55', 60', 65' | GA | 7 |
| W8X24# | 20', 35', 40' | GA | 10 |
| W8X24# | 25', 30' | GA | 12 |
| W8X24# | 45', 50' | GA | 8 |
| W8X24# | 55' 60', 65' | GA | 6 |
| W8X28# | 20', 35', 40' | GA | 8 |

Wide Flange Beams and Standard I Beams are available in lengths of 20', 25', 30', 35', 40', 45', 50', 55', 60', and 65'. Inquire for lengths > 65'. Inquire for piece counts greater than a bundle. Standard bundle piece count not guaranteed - plus or minus one piece tolerance.

WIDE FLANGE BEAMS CARTERSVILLE, GA

| SHAPE | LENGTH | MILL | PCS/ BUNDLE |
|---------|--------------------|------|----------------|
| W8X28# | 25, 45', 50', 55' | GA | 6 |
| W8X28# | 30' | GA | 10 |
| W8X28# | 60', 65' | GA | 5 |
| W10X12# | 20', 30', 35', 40' | GA | 20 |
| W10X12# | 45' | GA | 18 |
| W10X12# | 25', 50' | GA | 16 |
| W10X12# | 55', 60' | GA | 10 |
| W10X15# | 20', 40' | GA | 16 |
| W10X15# | 25', 30' | GA | 20 |
| W10X15# | 35' | GA | 18 |
| W10X15# | 45' | GA | 14 |
| W10X15# | 50' | GA | 12 |
| W10X15# | 55', 60' | GA | 10 |
| W10X17# | 20', 40' | GA | 14 |
| W10X17# | 25', 30' | GA | 18 |
| W10X17# | 35' | GA | 16 |
| W10X17# | 45' | GA | 12 |
| W10X17# | 50', 55' | GA | 10 |
| W10X17# | 50, 55' | GA | 8 |
| W10X19# | 20', 40' | GA | 12 |
| W10X19# | 25' 45', 50' | GA | 10 |
| W10X19# | 35' | GA | 14 |
| W10X19# | 55', 60' | GA | 8 |
| W10X22# | 20', 40', 45' | GA | 10 |
| W10X22# | 25' | GA | 8 |
| W10X22# | 30' | GA | 14 |
| W10X22# | 35' | GA | 12 |
| W10X22# | 50', 55', 60' | GA | 7 |
| W10X22# | 65' | GA | 6 |
| W10X26# | 20', 35' | GA | 10 |
| W10X26# | 25', 30' | GA | 12 |
| W10X26# | 40', 45' | GA | 8 |
| W10X26# | 50' | GA | 7 |
| W10X26# | 55', 60' | GA | 6 |

| SHAPE | LENGTH | MILL | PCS/ BUNDLE |
|---------|---------------|------|----------------|
| W10X26# | 65' | GA | 5 |
| W10X30# | 20' 25', 35' | GA | 8 |
| W10X30# | 30' | GA | 10 |
| W10X30# | 40', 45' | GA | 7 |
| W10X30# | 50', 55' | GA | 6 |
| W10X30# | 60', 65' | GA | 5 |
| W12X14# | 20' | GA | 18 |
| W12X14# | 25', 45', 50' | GA | 14 |
| W12X14# | 30, 35' | GA | 20 |
| W12X14# | 40' | GA | 16 |
| W12X14# | 55', 60', 65' | GA | 10 |
| W12X16# | 20', 35' | GA | 16 |
| W12X16# | 25', 45' | GA | 12 |
| W12X16# | 30' | GA | 18 |
| W12X16# | 40' | GA | 14 |
| W12X16# | 50', 55', 60' | GA | 10 |
| W12X19# | 20', 40' | GA | 12 |
| W12X19# | 25', 45', 50' | GA | 10 |
| W12X19# | 30' | GA | 16 |
| W12X19# | 35' | GA | 14 |
| W12X19# | 55', 60', 65' | GA | 8 |
| W12X22# | 20', 40', 45' | GA | 10 |
| W12X22# | 25', 50', 55' | GA | 8 |
| W12X22# | 30' | GA | 14 |
| W12X22# | 35' | GA | 12 |
| W12X22# | 60' | GA | 7 |
| W12X22# | 65' | GA | 6 |
| W12X26# | 20', 25', 35' | GA | 10 |
| W12X26# | 30' | GA | 12 |
| W12X26# | 40', 45' | GA | 8 |
| W12X26# | 50', 55', 60' | GA | 6 |
| W12X26# | 65' | GA | 5 |
| W12X30# | 20', 35', 40' | GA | 8 |
| W12X30# | 25', 30' | GA | 10 |

Wide Flange Beams and Standard I Beams are available in lengths of 20', 25', 30', 35', 40', 45', 50', 55', 60', and 65'. Inquire for lengths > 65'. Inquire for piece counts greater than a bundle. Standard bundle piece count not guaranteed – plus or minus one piece tolerance.

WIDE FLANGE CARTERSVILLE, GA

| SHAPE | LENGTH | MILL | PCS/ BUNDLE |
|---------|--|------|----------------|
| W12X30# | 45', 50', 55' | GA | 6 |
| W12X30# | 60', 65' | GA | 5 |
| W12X35# | 20', 25', 40', 45' | GA | 6 |
| W12X35# | 30', 35' | GA | 8 |
| W12X35# | 50', 55' | GA | 5 |
| W12X35# | 60', 65' | GA | 4 |
| W14X22# | 20', 25', 30', 35', 40', 45', 50', 55' | GA | 8 |
| W14X22# | 60' | GA | 7 |
| W14X22# | 65' | GA | 6 |
| W14X26# | 20', 25', 30', 35', 40', 45' | GA | 8 |
| W14X26# | 50' | GA | 7 |

| SHAPE | LENGTH | MILL | PCS/ BUNDLE |
|---------|--|------|----------------|
| W14X26# | 55', 60' | GA | 6 |
| W14X26# | 65' | GA | 5 |
| W14X30# | 20', 25', 30', 35', 40', 45', 50', 55' | GA | 6 |
| W14X30# | 60' | GA | 5 |
| W14X34# | 20', 30', 35', 40', 45' | GA | 6 |
| W14X34# | 50', 55' | GA | 5 |
| W14X34# | 60' | GA | 4 |
| W14X38# | 20', 35', 40' | GA | 6 |
| W14X38# | 30', 55', 60', 65' | GA | 4 |
| W14X38# | 45', 50' | GA | 5 |

STANDARD BEAMS CARTERSVILLE, GA & MIDLOTHIAN, TX

| SHAPE | LENGTH | MILL | PCS/ BUNDLE |
|---------|-------------------------|------|----------------|
| S5x7.2# | 20', 40' | GA | 33 |
| S5x10# | 20', 20', 30', 35', 40' | GA | 24 |
| S5x10# | 45' | GA | 21 |
| S5x10# | 50' | GA | 18 |
| S5x10# | 60' | GA | 15 |

| SHAPE | MILL | PCS/ BUNDLE |
|-----------|------|----------------|
| S3x5.7# | TX | 36 |
| S4x7.7# | TX | 28 |
| S4x9.5# | TX | 20 |
| S6x12.5# | TX | 15 |
| S6x17.25# | TX | 12 |
| S8x18.4# | TX | 10 |
| S8x23# | TX | 8 |
| S10x25.4# | TX | 8 |
| S10x35# | TX | 6 |
| S12x31.8# | TX | 6 |

MISCELLANEOUS (M) BEAM MIDLOTHIAN, TX

| SHAPE | MILL | PCS/ BUNDLE |
|-------------|------|----------------|
| M8x6.5# | TX | 24 |
| M10x8# | TX | 18 |
| M10x9# | TX | 16 |
| M12x11.8# | TX | 12 |
| M12.5x11.7# | TX | 12 |
| M12.5x12.4# | TX | 12 |

Wide Flange Beams and Standard I Beams are available in lengths of 20', 25', 30', 35', 40', 45', 50', 55', 60', and 65'. Inquire for lengths > 65'. Inquire for piece counts greater than a bundle. Standard bundle piece count not guaranteed - plus or minus one piece tolerance.

H-PILE MIDLOTHIAN, TX & PETERSBURG, VA

| SHAPE | MILL | PCS/ BUNDLE |
|--------------------------|--------|----------------|
| H8x36# | TX, VA | 6 |
| H10x42# | TX, VA | 4 |
| H12x53#, 63# | VA | 4 |
| H12x74# | VA | 3 |
| H12x84# | VA | 2 |
| H14x73#, 89#, 102#, 117# | VA | 2 |

PZC™ SHEET PILE PETERSBURG, VA

| SECTION | WEIGHT LBS/FT ² | SECTION MODULUS IN. ³ /FT | MILL | PCS/ BUNDLE |
|---------|-------------------------------|---|------|----------------|
| PZC 12 | 20 | 22.3 | VA | 4 |
| PZC 13 | 21.7 | 24.2 | VA | 4 |
| PZC 14 | 23.7 | 26 | VA | 4 |
| PZC 17 | 22.3 | 31 | VA | 4 |
| PZC 18 | 24.2 | 33.5 | VA | 4 |
| PZC 19 | 26.4 | 36.1 | VA | 4 |
| PZC 25 | 29.9 | 45.7 | VA | 4 |
| PZC 26 | 31.8 | 48.4 | VA | 4 |
| PZC 28 | 34 | 51.3 | VA | 4 |

PS FLAT SHEET MIDLOTHIAN, TX

| SECTION | NOMINAL WIDTH | DEPTH (HEIGHT) | WALL DEPTH (HEIGHT) | WEB THICKNESS | MILL | PCS/ BUNDLE |
|---------|------------------|-------------------|------------------------|------------------|------|----------------|
| PS 27.5 | 19.69 | 2.83 | 3.55 | 0.4 | TX | 4 |
| PS 31 | 19.69 | 2.83 | 3.55 | 0.5 | TX | 4 |



GERDAU

Shape the future

Contact Us

800-237-0230

sales@gerdau.com

www.gerdau.com

